

INDEX OF AUTHORS AND SUBJECTS

Vol. 116

- Aerial feeding by bulbuls, 232.
 Africa, 44-51, 155-64.
- ALERSTAM, T., BAUER, C. A. & ROOS, G., Spring migration of Eiders *Somateria mollissima* in southern Scandinavia, 194-210.
- ALERSTAM, T. & ULFSTRAND, S., A radar study of the autumn migration of Wood Pigeons *Columba palumbus* in southern Scandinavia, 522-42.
- ANDERSON, A., *see* YOM-TOV, Y.
- ANDERSON, K. A., *see* PULLIAM, H. R.
- BAUER, C. A., *see* ALERSTAM, T.
- BEAMAN, M. & GALEA, C., The visible migration of raptors over the Maltese Islands, 419-31.
- BOURNE, W. R. P., English vernacular names for sea-birds (letter), 232-3.
- Breeding
Cisticola juncidis in Malta, 373.
Eudypetes pachyrhynchus, 1-27.
Pelecanus rufescens, 477-93.
Phaethornis guy, 278-97.
Somateria mollissima, 135-54.
Threskiornis aethiopica, 263-77.
Turdoides squamiceps, 84-7.
- BREITWISCH, R. & PLISKE, M., *Anthurium* fruit as a food of White-bearded Manakins, 365.
- BRITISH ORNITHOLOGISTS' UNION
 Current notes and notices, 122-4, 260-1, 416-7, 580-1.
 Meetings, 410-5.
 Records Committee, eighth report, 578-9.
 Report of the Council for 1973, 399-409.
- BRITTON, P. L., *see* FRY, C. H.
- CHARNOV, E. L. & KREBS, J. R., On clutch-size and fitness, 217-9.
- CRACRAFT, J., Phylogeny and evolution of ratite birds, 494-521.
- CRAIG, G. H. & CRAIG, J. L., An automatic nest recorder, 557-61.
- CRAMP, S., Sea-birds of Britain and Ireland (abstract), 410.
- DARE, P. J. & MERCER, A. J., The timing of wing-moult in the Oystercatcher *Haematopus ostralegus* in Wales, 211-4.
- DICK, W. J. A., Wader studies in Mauritania (abstract), 413.
- DIN, N. A. & ELTRINGHAM, S. K., Ecological separation between White and Pink-backed Pelicans in the Ruwenzori National Park, Uganda, 28-43.
- DIN, N. A. & ELTRINGHAM, S. K., Breeding of the Pink-backed Pelican *Pelecanus rufescens* in Ruwenzori National Park, Uganda; with notes on a colony of Marabou Storks *Leptopilius crumeniferus*, 477-93.
- DUNNET, G. M., *see* YOM-TOV, Y.
- DURCZ, A., Factors affecting the growth rate of nestling Great Reed Warblers and Reed Warblers at Milicz, Poland, 330-9.
- ELTRINGHAM, S. K., *see* DIN, N. A.
- FEARE, C. J., The utilization of mangroves by Seychelles birds, 543-5.
- FEARE, C. J., TEMPLE, S. A. & PROCTER, J., The status and diet of the Seychelles Kestrel *Falco araea*, 548-51.
- FERGUSON-LEES, I. J., *see* FRY, C. H.
- FRY, C. H., BRITTON, P. L., & HORNE, J. F. M., Lake Rudolf and the Palaearctic exodus from East Africa, 44-51.
- FRY, C. H., WILLIAMSON, K. & FERGUSON-LEES, I. J., A new subspecies of *Acrocephalus beatificatus* from Lake Chad and a taxonomic reappraisal of *Acrocephalus dumetorum*, 340-6.
- GALEA, C., *see* BEAMAN, M.
- GALUSHIN, V. M., Synchronous fluctuations in populations of some raptors and their prey, 127-34.
- GASTON, A. J., Adaptations in the genus *Phylloscopus*, 432-50.
- GAUCI, C., *see* SULTANA, J.
- GORMAN, M. L., *see* MILNE, H.
- GORMAN, M. L., The endocrine basis of pair-formation behaviour in the male Eider *Somateria mollissima*, 451-65.
- GOSS-CUSTARD, J. D., Food selection in the Redshank *Tringa totanus* (abstract), 414.
- GREEN, G. H., Wader populations of northeast Greenland (abstract), 413.
- GRIMES, L. G., Radar tracks of Palaearctic waders departing from the coast of Ghana in spring, 165-71.
- GRIMES, L. G., Dialects and geographical variation in the song of the Splendid Sunbird *Nectarinia coccinigaster*, 314-329.
- HALE, W. G., Aerial counting of waders (abstract), 412.
- HALL-CRAGGS, J. H., Controlled antiphonal calling by Whooper Swans, 228-31.
- HOGG, P., Trans-Saharan migration through Sarir, 466-76.
- HORNE, J. F. M., *see* FRY, C. H.
- ISAACSON, A. J., *see* MURTON, R. K.
- KALLENDER, H., Advancement of laying of Great Tits by the provision of food, 365-7.
- KING, J. R., Notes on geographical variation and the annual cycle in Patagonian populations of the Rufus-collared Sparrow *Zonotrichia capensis*, 74-83.
- KREBS, J. R., *see* CHARNOV, E. L.
- LEMON, R. E., Song dialects, song matching and species recognition by Cardinals *Richmondia cardinalis*, 545-8.
- MACDONALD, D. W., *see* PRY'S-JONES, R. P.
- MACLEAN, S. F. JR., Lemming bones as a source of calcium for Arctic sandpipers (*Calidris* spp.), 552-7.
- MARKUS, M. B., Aerial feeding by bulbuls (letter), 232.

- McCRAE, A. W. R. & WALSH, J. F., Association between nesting birds and polistine wasps in north Ghana, 215-7.
- MERCER, A. J., *see* DARE, P. J.
- MEYBURG, B.-U., Sibling aggression and mortality among nestling eagles, 224-8.
- Migration,
Autumn migration of Wood Pigeons *Columba palumbus* in southern Scandinavia, 522-42.
Lake Rudolf and the Palaearctic exodus from East Africa, 44-51.
Palaearctic waders departing from the coast of Ghana in spring, 165-71.
Spring migration of Eiders *Somateria mollissima* in southern Scandinavia, 194-210.
Spring migration over Puerto Rico and the western Atlantic, 172-93.
Visible migration of raptors over the Maltese Islands, 419-31.
Trans-Saharan migration through Sarir, 466-76.
- MILNE, H. (with an appendix by M. L. GORMAN). Breeding numbers and reproductive rate of Eiders at the Sands of Forvie National Nature Reserve, 135-54.
- MINTON, C. D. T., Moulting patterns of waders in Britain (abstract), 413-4.
- MISZTAL, A., *see* PULLIAM, H. R.
- MOORE, N., *see* PULLIAM, H. R.
- MOSS, D., *see* PERRINS, C. M.
- MURTON, R. K., WESTWOOD, N. J., & ISAACSON, A. J., Factors affecting egg-weight, body-weight and moult of the Woodpigeon *Columba palumbus*, 52-73.
- MURTON, R. K. & WESTWOOD, N. J., An investigation of photo-refractoriness in the House Sparrow by artificial photoperiods, 298-313.
- NELSON, J. B., The distribution of Abbott's Booby *Sula abbotti*, 368-9.
- Obituaries
GOMPERTZ, T., 235
LUDLOW, F., 234
SMITH, K. D., 235-6.
- ORTIZ-CRESPO, F. I. The Giant Hummingbird *Patagona gigas* in Ecuador, 347-59.
- PERRINS, C. M. & MOSS, D., Survival of young Great Tits in relation to age of female parent, 220-4.
- PLISKE, M., *see* BREITWISCH, R.
- PRATER, A. J., Population and movement of Knot in Britain (abstract), 412.
- PROCTER, J., *see* FEARE, C. J.
- PRYS-JONES, R. P., SCHIFFERLI, L., & MACDONALD, D. W., The use of an emetic in obtaining food samples from passerines, 90-3.
- PULLIAM, H. R., ANDERSON, K. A. MISZTAL, A., & MOORE, N., Temperature-dependent social behaviour in juncos, 360-4.
- RICHARDSON, W. J., Spring migration over Puerto Rico and the western Atlantic, 172-93.
- ROOS, G., *see* ALERSTAM, T.
- SCHIFFERLI, L., *see* PRYS-JONES, R. P.
- SMITH, K. D., The utilization of gum trees by birds in Africa, 155-64.
- SMITH, P. C., Feeding behaviour of the Bar-tailed Godwit *Limosa lapponica* (abstract), 414.
- SNOW, B. K., Lek behaviour and breeding of Guy's Hermit Hummingbird *Phaethornis guy*, 278-99.
- STRICKLAND, M. J., Masira Islands: doubts on the Black-shouldered Kite (letter), 94.
- SULTANA, J. & GAUCI, C., *Cisticola juncidis* breeding in Malta (letter), 373-4.
- TEMPLE, S. A., *see* FEARE, C. J.
- ULFSTRAND, S., *see* ALERSTAM, T.
- URBAN, E. K., Breeding of Sacred Ibis *Threskiornis aethiopica* at Lake Shala, Ethiopia, 263-77.
- Vocalization
Cygnus cygnus, 228-31.
Nectarinia coccinigaster, 314-29.
Otus nudipes and *O. guatemalae*, 369-72.
Richmondia cardinalis, 545-8.
- WARHAM, J., The Fiordland Crested Penguin *Eudyptes pachyrhynchus*, 1-27.
- WARHAM, J., Tini Heke (abstract), 414.
- WARHAM, J., New Zealand snipe, genus *Coenocorypha* (abstract), 415.
- WESTWOOD, N. J., *see* MURTON, R. K.
- WEYDEN, W. J. VAN DER, Vocal affinities of the Puerto Rican and Vermiculated Screech Owls (*Otus nudipes* and *Otus guatemalae*), 369-72.
- WILLIAMSON, K., *see* FRY, C. H.
- WOLFF, W. J., The effects of reclamation on shorebirds of the Delta area (abstract), 414.
- YAPP, W. B., Zoology teaching at Cambridge 1929-32 (letter), 373.
- YOM-TOV, Y., DUNNET, G. M. & ANDERSON, A., Intraspecific nest parasitism in the Starling *Sturnus vulgaris*, 87-90.
- ZAHAVI, A., Communal nesting by the Arabian Babbler, 84-7.

INDEX OF SCIENTIFIC NAMES

Names appearing in bold type are of newly described taxa.

- aalge, *Uria*, 233.
 abbotti, *Sula*, 368.
 abdimii, *Ciconia*, 162, 264.
 abietinus, *Phylloscopus* c., 449.
 abyssinica, *Zosterops*, 159.
 abyssinicus, *Turdus*, 159.
 Accipiter badius, 156, 158.
 — gentilis, 129.
 — melanoleucus, 156.
 — nisus, 129, 421, 470.
 — ovampensis, 158.
 — rufiventris, 156, 158.
 — tachiro, 156.
 acredula, *Phylloscopus* t., 449.
 Acridotheres tristis, 544.
 Acrocephalus arundinaceus, 48, 330, 339, 437, 475.
 Acrocephalus baeticatus, 340, (Plate 10).
Acrocephalus b. hopsoni subsp. nov., 340.
 — bistrigiceps, 434.
 — dumetorum, 340, 346, 450.
 — gracilirostris, 343.
 — orientalis, 541.
 — palustris, 342, 475.
 — rufescens, 343.
 — schoenobaenus, 48, 434, 475.
 — scirpaceus 48, 330, 340, 434, 475.
 — stentoreus, 437.
 Actitis hypoleucos, 471.
 acuta, *Anas*, 47.
 adalberti, *Aquila* h., 227, 228 (Plate 5).
 adsimilis, *Dicrurus*, 156.
 adusta, *Muscicapa*, 159, 164.
 aedon, *Troglodytes*, 149.
 aegyptiaca, *Alopochen*, 274.
 aegyptius, *Pluvianus*, 469.
 Aepyornis, 518, 519, 520.
 — hildebrandti, 496.
 — maximus, 496.
 aeruginosus, *Circus*, 48, 130, 421, 470.
 aethiopicus, *Threskiornis*, 263. (Plates 7 & 8). 276.
 affinis, *Phylloscopus*, 433.
 africanus, *Bubo*, 158.
 Agapornis cana, 543.
 Agelaius phoeniceus, 360.
 Aglaeactis cupripennis, 352.
 Ajaia ajaja, 266.
 ajaja, *Ajaia*, 266.
 Alauda arvensis, 472.
 alba, *Calidris*, 169, 471, 556.
 —, *Egretta*, 470.
 —, *Motacilla*, 162, 472.
 —, *Platalea*, 164, 266.
 —, *Tyto*, 367.
 albicilla, *Haliaeetus*, 226, 227.
 albicollis, *Ficedula*, 475.
 albicollis, *Turdus*, 296.
 albifrons, *Sterna*, 47.
 albiventris, *Parus*, 159.
 albugularis, *Otus*, 371.
 albonotatus, *Trochocercus*, 160.
 alboterminatus, *Tockus*, 159, 160.
 albus, *Corvus*, 156.
 —, *Eudocimus*, 266.
 aldabranus, *Dicrurus*, 544.
 —, *Falco* n., 550.
 Alektoris barbara, 261.
 Alctroenas pulcherrima, 543.
 — sganzini, 544.
 alexandrinus, *Charadrius*, 474.
 alleni, *Porphyro*, 578.
 Alopochen aegyptiaca, 274.
 alpina, *Calidris*, 474, 552, 557.
 aluco, *Strix*, 128.
 americana, *Aythya*, 89, 90.
 —, *Parula*, 444.
 —, *Rhea*, 496.
 amethystina, *Nectarinia*, 156.
 amurensis, *Falco*, 162, 163.
 anaethetus, *Sterna*, 233, 592.
 Anas acuta, 47.
 — capensis, 274.
 — clypeata, 47.
 — crecca, 143.
 — formosa, 579.
 — penelope, 207.
 — platyrhynchos, 143, 207.
 — querquedula, 47.
 Anhinga rufa, 158.
 anna, *Calypte*, 297.
 ani, *Crotophaga*, 87, 592.
 Anous tenuirostris, 72, 214, 543.
 Anser anser, 207.
 Anthreptes collaris, 162.
 Anthus campestris, 472.
 — cervinus, 472.
 — godlewskii, 579.
 — trivialis, 48, 162, 475.
 antipodes, *Megadyptes*, 14.
 Apaloderma narina, 160.
 Aphelocoma ultramarina, 87.
 apiaster, *Merops*, 48, 471.
 apivorus, *Pernis*, 128, 419, 522, 541.
 Apteryx, 520.
 — australis, 496.
 Apus apus, 48.
 Aquila chrysaetos, 224, 474.
 — clanga, 474.
 — heliaca, 130, 227, 228, (Plate 5), 474.
 — nipalensis, 130.
 — pomarina, 224, 228, 421.
 — rapax, 158, 273.
 Aquila verreauxi, 225.
 — wahlbergi, 156.
 araea, *Falco*, 544, 548.
 Archaeopteryx, 498.
 Archaeornis siemensii, 519.
 Ardea cinerea, 158.
 — ibis, 158.
 — melanoccephala, 158.
 — melanoleucus, 158.
 — purpurea, 469.
 Ardeola ibis, 158.
 — ralloides, 470.
 Arenaria interpres, 169, 474, 592.
 argentatus, *Larus*, 143.
 argentina, *Zonotrichia* c., 77.
 ariel, *Fregata*, 544.
 aristotelis, *Phalacrocorax*, 233.
 armandii, *Phylloscopus*, 433.
 arminjoniana, *Pterodroma*, 232.
 arquata, *Numenius*, 169, 207.
 arundinaceus, *Acrocephalus*, 48, 330, 339, 437, 475.
 arvensis, *Alauda*, 472.
 asiaticus, *Charadrius*, 47.
 Asio flammeus, 372, 474.
 asio, *Otus*, 371.
 assamensis, *Phylloscopus* r., 449.
 assimilis, *Puffinus*, 232.
 astrild, *Estrilda*, 543.
 ater, *Parus*, 444.
 atratus, *Coragyps*, 579.
 atricapilla, *Sylvia*, 162, 437, 472.
 atricilla, *Larus*, 149.
 auricularis, *Puffinus*, 232.
 aurocapillus, *Seiurus*, 578.
 australis, *Apteryx*, 496.
 —, *Dromornis*, 496.
 —, *Tchagra*, 159.
 —, *Zonotrichia* c., 74.
 autumnolis, *Plegadis*, 276.
 averano, *Procnias*, 289.
 Aviceda cuculoides, 158.
 Aythya, 207.
 —, americana, 89, 90.
 badius, *Accipiter*, 156, 158.
 baeticatus, *Acrocephalus*, 340. (Plate 10).
 baglafaecht, *Ploceus*, 159.
 bairdii, *Calidris*, 261, 552.
 barbara, *Alectoris*, 261.
 barbarus, *Otus*, 371.
 barbatus, *Pycnonotus*, 232.
 baroli, *Puffinus*, 232.
 Batis molitor, 159.
 Bebrornis sechellensis, 544.
 bellicosus, *Polemaetus*, 156, 158.

- bengalus, *Uraeginthus*, 215.
bennetti Casuarius, 496.
betsilei, *Mullerornis*, 518.
biarmicus, *Falco*, 156, 158, 422, 469.
bistrigiceps, *Acrocephalus*, 434.
bonelli, *Phylloscopus*, 433, 473.
borealis, *Phylloscopus*, 433.
 —, *Somateria m.*, 135, 151.
borin, *Sylvia*, 48, 438, 472.
Bostrychia hagedash, 158.
Botaurus stellaris, 469.
boydi, *Puffinus*, 232.
Branta leucopsis, 207.
 — *sandwicensis*, 223.
Bubo africanus, 158.
 — *bubo*, 579.
 — *virginianus*, 579.
Bubulcus ibis, 469, 544.
Bucephala clangula, 89, 207.
 — *islandica*, 579.
Burhinus capensis, 158, 160.
 — *oedicnemus*, 471.
Buteo buteo, 128, 133, 421, 470, 522.
 — *jamaicensis*, 579.
 — *lagopus*, 127, 130, 134, 470.
 — *rufinus*, 130.
 — *rufofuscus*, 158.
Butorides striatus, 544.
 — *virescens*, 578.

cabaret, *Carduelis f.*, 65, 72.
caerulea, Florida, 224.
caeruleus, *Elanus*, 94, 156, 158.
 —, *Parus*, 367.
cafer, *Promerops*, 162.
caffra, *Cossypha*, 156.
calandra, *Emberiza*, 473.
 —, *Melanocorypha*, 472.
Calandrella cinerea, 472.
 — *rufescens*, 475.
Calcarius lapponicus, 556.
Calidris alba, 169, 471, 556.
 — *alpina*, 474, 552, 557.
 — *bairdii*, 261, 552.
 — *ferruginea*, 47, 169.
 — *maritima*, 474.
 — *mauri*, 556.
 — *melanotos*, 552.
 — *minuta*, 47, 169, 261, 471.
 — *pusilla*, 552.
Calypte anna, 297.
camelus, *Struthio*, 496.
campestris, *Anthus*, 472.
cana, *Agapornis*, 543.
canariensis, *Phylloscopus c.*, 439, 449.
caniceps, *Junco h.*, 360.
canicollis, *Serinus*, 159.
canorus, *Cuculus*, 48.
cantans, *Cisticola*, 159.
cantillans, *Sylvia*, 438, 473.
canus, *Larus*, 207.
capensis, *Anas*, 274.
 —, *Burhinus*, 158, 160.

capensis, *Corvus*, 159.
 —, *Phalacrocorax*, 274.
 —, *Ploceus*, 156.
 —, *Zonotrichia*, 74, 82, 314, 329.
capicola, *Streptopelia*, 156, 158.
Caprimulgus europaeus, 48.
 — *fraenatus*, 158.
 — *pectoralis*, 158.
carbo, *Phalacrocorax*, 158, 264.
cardinalis, *Richmondia*, 545.
Carduelis, 164.
 — *chloris*, 446, 469, 475.
 — *flammea*, 65, 72, 82.
 — *spinus*, 162, 446.
carneipes, *Puffinus*, 232.
carolina, *Porzana*, 578.
Carphibis spinicollis, 265.
Carpodacus mexicanus, 298, 465.
castro, *Oceanodroma*, 232.
Casuarius bennetti, 496.
 — *casuarius*, 496.
 — *unappendiculatus*, 496.
Catharacta skua, 149.
Catharus, 448.
Cephus grylle, 233.
Cercotrichas galactotes, 48, 475.
certhiola, *Locustella*, 434.
cervinus, *Anthus*, 472.
Cettia, 449.
chadensis, *Acrocephalus r.*, 343.
Chalcomitra senegalensis, 215.
chalybea, *Nectarinia*, 162.
chalybeus, *Nectarinia*, 329.
Charadrius alexandrinus, 474.
 — *asiaticus*, 47.
 — *dubius*, 471.
 — *hiaticula*, 169, 444, 471.
 — *leschenaulti*, 47.
 — *mongolus*, 47.
 — *squatarola*, 261.
Chen hyperborea, 148.
 — *rossi*, 149.
cherrug, *Falco*, 127, 422, 474.
chilensis, *Zonotrichia c.*, 74.
Chlidonias hybrida, 261.
 — *leucopterus*, 47.
Chloris chloris, 298, 312, 465.
Chloris, *Carduelis*, 446, 469, 475.
chloronotus, *Phylloscopus p.*, 444.
chloropus, *Gallinula*, 544.
choliba, *Otus*, 371.
choraules, *Zonotrichia c.*, 74.
chrysaetos, *Aquila*, 224, 474.
chrysocome, *Eudypetes*, 2, 23.
chrysolophus, *Eudypetes*, 2, 16, 23.
Ciconia abdimii, 162, 264.
 — *ciconia*, 158, 469.
 — *nigra*, 469.
cinerascens, *Nothoprocta*, 519.
cinerea, *Ardea*, 158.
 —, *Calandrella*, 472.

cinerea, *Creatophora*, 159.
 —, *Motacilla*, 472.
cinereocapilla, *Motacilla f.*, 48.
cinnamomeus, *Acrocephalus b.*, 340.
 —, *Crypturellus*, 496.
Circetus gallicus, 127, 421, 474.
Circus, 127.
 — *aeruginosus*, 48, 130, 421, 470.
 — *cyaneus*, 128, 421.
 — *macrourus*, 48, 129, 133, 421.
 — *pygargus*, 129, 421, 474.
Cisticola cantans, 159.
 — *fulvicapilla*, 156.
 — *galactotes*, 159.
 — *juncidis*, 346, 373.
citrinella, *Emberiza*, 91.
 —, *Serinus*, 446.
clangula, *Aquila*, 474.
Clangula hyemalis, 191, 202, 207, 522, 541.
clangula, *Bucephala*, 89, 207.
claudiae, *Phylloscopus r.*, 449.
clemenciae, *Lampornis*, 288.
clypeata, *Anas*, 47.
coccinigeraster, *Nectarinia*, 314.
coelebs, *Fringilla*, 82, 90, 366, 538.
colchicus, *Phasianus*, 555.
Colibri coruscans, 295, 296.
Colinus virginianus, 148, 579.
Colius indicus, 156, 159.
collaris, *Anthreptes*, 162.
collaris, *Lanius*, 156.
Collocalia francica, 544.
collurio, *Lanius*, 48, 475.
collybita, *Phylloscopus*, 162, 433, 439, 443, 449, 475, 545, 548.
Columba guinea, 274.
 — *livia*, 56.
 — *oenas*, 73, 541.
 — *palumbus*, 52, 72, 73, 195, 522, (Plate 12 & 13), 541.
columbarius, *Falco*, 422.
communis, *Sylvia*, 48, 434, 473.
concolor, *Falco*, 420, 474.
conspicillata, *Sylvia*, 438, 473, 475.
cooperi, *Otus*, 371.
coqui, *Francolinus*, 156.
Coracias garrulus, 474.
Coragyps atratus, 579.
corax, *Corvus*, 70.
Corcorax melanorhampus, 86.
coronatus, *Phylloscopus*, 433.
 —, *Stephanoaetus*, 158.
corone, *Corvus*, 143, 153.
coruscans, *Colibri*, 295, 296.
Corvus albus, 156.
 — *capensis*, 159.
 — *corax*, 70.
 — *corone*, 143, 153.
 — *frugilegus*, 70, 90, 148.
 — *monedula*, 89, 465.

- Corvus rhipidurus*, 273.
Cossypha caffra, 156.
Coturnix coturnix, 48, 298, 471.
crassirostris, *Hypsipetes*, 544.
crassus, *Emeus*, 496.
Creatophora cinerea, 159.
crecca, *Anas*, 143.
crestata, *Eudytes*, 261.
Crex crex, 48.
crispus, *Pelecanus*, 42.
cristata, *Galerida*, 346, 475.
Crotophaga ani, 87, 591.
crumeniferus, *Leptoptilus*, 475.
Cryptospiza reichenowi, 163.
Crypturellus cinnamomeus, 496.
 — *soui*, 496.
cucullata, *Lonchura*, 159.
cucullatus, *Ploceus*, 159.
 —, *Spermestes*, 215.
cuculoides, *Aviceda*, 158.
Cuculus canorus, 48.
cupripennis, *Aglæactis*, 352.
curruca, *Sylvia*, 434, 473.
curvirostris, *Loxia*, 553.
cuvieri, *Falco*, 158.
cyaneus, *Circus*, 128, 421.
 — *Malurus*, 86.
Cyanosylvia svecica, 475.
Cygnus, 207.
 — *cygnus*, 228. (Plate 6.)
- dactylatra*, *Sula*, 368.
daurica, *Hirundo*, 346, 472.
davisoni, *Phylloscopus*, 433.
delawarensis, *Larus*, 578.
Delichon urbica, 472.
Dendropicos fuscescens, 161.
deserti, *Oenanthe*, 473.
deserticola, *Sylvia*, 438.
Dicrurus adsimilis, 156.
 — *aldabranus*, 544.
Dinornis ingens, 496.
 — *maximus*, 496.
 — *novaezealandiae*, 496.
domesticus, *Gallus*, 54.
 —, *Passer*, 91, 298, 312.
dougallii, *Sterna*, 261.
dresseri, *Somateria m.*, 135, 151.
Dromiceius, 521.
 — *novaezealandiae*, 496.
Dromornis australis, 496.
dubius, *Charadrius*, 471.
dumetorum, *Acrocephalus*, 340, 346, 450.
dussumieri, *Nectarinia*, 544.
- Egretta alba*, 470.
 — *garzetta*, 470.
elaieca, *Hippolais p.*, 48, 345.
Elanus caeruleus, 94, 156, 158.
eleonora, *Falco*, 422.
elephantopus, *Pachyornis*, 496.
Eleutherornis, 518.
 — *helveticus*, 496.
- Emberiza calandra*, 473.
 — *citrinella*, 91.
 — *melanocephala*, 475.
 — *hortulana*, 473.
 — *schoeniclus*, 91, 592.
Emeus crassus, 496.
enucleator, *Pinicola*, 446.
eocaenus, *Eremopezus*, 496.
epops, *Upupa*, 48, 471.
Eremopezus eocaenus, 496.
ericetorum, *Turdus*, 89.
Eriocnemis luciani, 352.
Erithacus rubecula, 469, 475.
erythrocephala, *Pipra*, 289, 297.
erythropus, *Tringa*, 169, 171, 474.
Erythropygia galactotes, 346.
erythrorhynchus, *Pelecanus*, 480, 592.
Estrilda astrild, 543.
Eudocimus albus, 266.
 — *ruber*, 269.
Eudytes chrysocome, 2, 23.
 — *chrysolophus*, 2, 16, 23.
 — *crestata*, 261.
 — *pachyrhynchus*, 1.
 — *robustus*, 1.
 — *sclateri*, 2, 23.
Euplectes orix, 159.
europaea, *Sitta*, 366.
europaeus, *Caprimulgus*, 48.
Euryapteryx gravis, 496.
excubitor, *Lanius*, 346, 475.
exilis, *Zelornis*, 496.
- fajumensis*, *Stromeria*, 496.
fasciatus, *Hieraaetus*, 474.
falcinellus, *Plegadis*, 47, 271, 470.
Falco amurensis, 162, 163.
 — *araea*, 544, 548.
 — *biarmicus*, 156, 158, 422, 469.
 — *cherrug*, 127, 422, 474.
 — *columbarius*, 422.
 — *concolor*, 420, 474.
 — *cuvieri*, 158.
 — *eleonora*, 422.
 — *naumanni*, 48, 127, 162, 422, 470.
 — *newtoni*, 550.
 — *peregrinus*, 127, 422, 471.
 — *sparverius*, 420.
 — *subbuteo*, 48, 130, 158, 422.
 — *tinnunculus*, 127, 156, 422, 470.
 — *vespertinus*, 130, 134, 162, 422, 431, 592.
familiaris, *Cercotrichas g.*, 49.
famosa, *Nectarinia*, 159.
fasciatus, *Hieraaetus*, 225, (Plate 4).
feldegg, *Motacilla f.*, 48, 162, 475.
ferruginea, *Calidris*, 47, 169.
Ficedula albicollis, 475.
 — *hypoleuca*, 434, 473.
- Ficedula parva*, 473, 475.
flammea, *Carduelis*, 65, 72, 82.
flammeolus, *Otus*, 371.
flammeus, *Asio*, 372, 474.
flava, *Motacilla*, 47, 48, 50, 162, 472, 475.
flavicans, *Prinia*, 156.
flavirostris, *Rynchops*, 50.
flavissima, *Motacilla*, 475.
Florida caerulea, 224.
formosa, *Anas*, 579.
Foudia madagascariensis, 544, 551.
 — *seychellarum*, 544.
fraenatus, *Caprimulgus*, 158.
francica, *Collocalia*, 544.
Francolinus coqui, 156.
Fregata ariel, 544.
 — *minor*, 544.
Fringilla coelebs, 82, 90, 366, 538.
frugilegus, *Corvus*, 70, 90, 148.
fulicarius, *Phalaropus*, 47.
fuligiventer, *Phylloscopus*, 433.
Fulvetta ludlowii, 234, 592.
fulvicapilla, *Cisticola*, 156.
fusca, *Melanitta*, 149, 152, 207.
fuscatulus, *Phylloscopus*, 433.
fuscescens, *Dendropicos*, 161.
- gabar*, *Melierax*, 156.
galactotes, *Cercotrichas*, 48, 475.
 —, *Cisticola*, 159.
 —, *Erythropygia*, 346.
galbula, *Ploceus*, 159.
Galerida cristata, 346, 475.
 — *theklae*, 346.
gallicus, *Circæus*, 127, 421, 474.
Gallinula chloropus, 544.
Gallus domesticus, 54.
gambelii, *Zonotrichia*, 1, 65, 298, 312.
Garrulus glandarius, 55, 89.
garrulus, *Coracias*, 474.
garzetta, *Egretta*, 470.
Gavia, 207.
gentilis, *Accipiter*, 129.
Genyornis, 496.
Geopelia striata, 543.
gigas, *Patagona*, 347, 350, (Plate 11), 358.
 —, *Trochilus*, 358.
githaginea, *Rhodopechys*, 469, 475.
glandarius, *Garrulus*, 55, 89.
Glareola nordmanni, 261, 471.
 — *pratricula*, 261, 471.
glareola, *Tringa*, 47, 169, 474.
Glaucis hirsuta, 290, 297.
glaucoides, *Larus*, 261.
godlewskii, *Anthus*, 579.
gracilirostris, *Acrocephalus*, 343.
gravis, *Euryapteryx*, 496.

- griseocephalus, *Mesopicos*, 160.
 griseolus, *Phylloscopus*, 433.
 griseus, *Passer*, 156.
Grus grus, 195, 206, 523, 540.
 grylle, *Cephus*, 233.
 guatemalae, *Otus*, 369, 372.
 guinea, *Columba*, 274.
 gularis, *Serinus*, 159.
 gurneyi, *Promerops*, 162.
 guy, *Phaethornis*, 278, (Plate 9).

Haematopus ostralegus, 207, 211, 214.
 hagedash, *Bostrychia*, 158.
 —, *Hagedashia*, 275, 277.
Hagedashia hagedash, 275, 277.
 Halycyon, 543.
Haliaeetus albicilla, 226, 227.
 — *vocifer*, 156, 158, 273, 492.
haliaetus, *Pandion*, 48, 129, 421.
 hallae, *Acrocephalus b.*, 341.
 heliaca, *Aquila*, 130, 227, 228, (Plate 5), 474.
Heliomaster longirostris, 288.
 helveticus, *Eleutherornis*, 496.
Hesperornis, 497, 519, 520.
 heuglini, *Ploceus*, 215.
 hiaticula, *Charadrius*, 169, 444, 471.
Hieraaetus fasciatus, 225, (Plate 4), 474.
 — *pennatus*, 48, 421, 470.
 — *spilogaster*, 158.
hildebrandti, *Aepyornis*, 496.
Hippolais icterina, 48, 434.
 — *languida*, 48.
 — *olivetorum*, 48, 475.
 — *pallida*, 47, 48, 342, 345, 475.
Hirundo daurica, 346, 472.
 — *rupestris*, 472.
 — *rustica*, 47, 48, 90, 346, 472.
hirundo, *Sterna*, 474.
hirsuta, *Glaucis*, 290, 297.
hispanica, *Oenanthe*, 475.
hispaniolensis, *Passer*, 159, 473.
hopsoni, *Acrocephalus b.*, subsp. nov., 340.
hortensis, *Sylvia*, 445, 475.
hortulana, *Emberiza*, 473.
humei, *Phylloscopus i.*, 449.
hybrida, *Chlidonias*, 261.
hyemalis, *Clangula*, 191, 202, 207, 522, 541.
hyemalis, *Junco*, 360, 364.
Hylodichla, 448.
hyperborea, *Chen*, 148.
hypoleuca, *Ficedula*, 434.
 —, *Sylvia*, 473.
 —, *Zonotrichia c.* 76.
hypoleucos, *Actitis*, 471.
 —, *Tringa*, 169.
Hypsipetes crassirostris, 544.

ibis, *Ardea*, 158.
 —, *Ardeola*, 158.
 —, *Bubulcus*, 469, 544.
icterina, *Hippolais*, 48, 434.
Indicator indicator, 160.
indicus, *Colius*, 156, 159.
ingens, *Dinornis*, 496.
inornatus, *Phylloscopus*, 433, 449.
insularis, *Otus*, 543.
intermedius, *Ploceus*, 159.
interpres, *Arenaria*, 169, 474, 592.
isabellina, *Oenanthe*, 48, 475.
islandica, *Bucephala*, 579.

jamaicensis, *Buteo*, 579.
juncidis, *Cisticola*, 346, 373.
Junco hyemalis, 360, 364.
 — *phaeonorotus*, 360, 364
Jynx torquilla, 471.

Kaupifalco monogrammicus, 158.
kennicottii, *Otus*, 371.
kilimensis, *Nectarinia*, 329.

laeneni, *Hippolais p.*, 345.
lagopus, *Buteo*, 127, 130, 134, 470.
Lampornis clemenciae, 288.
languida, *Hippolais*, 48.
Lanius collaris, 156.
 — *collurio*, 48, 475.
 — *excubitor*, 346, 475.
 — *minor*, 48.
 — *senator*, 472.
lapponica, *Limosa*, 169, 261.
lapponicus, *Calcarius*, 556.
Larus argentatus, 143.
 — *atricilla*, 149.
 — *canus*, 207.
 — *ridibundus*, 207.
 — *delawarensis*, 578.
 — *glaucoides*, 261.
 — *ridibundus*, 47.
larvatus, *Oriolus*, 156.
latirostris, *Muscicapa*, 579.
Leptoptilus crumeniferus, 477.
leschenaultii, *Charadrius*, 47.
leucomelaena, *Sylvia*, 438.
leucomelas, *Lybius*, 156.
leucophrys, *Zonotrichia*, 65, 298, 312, 314, 545.
leucopsis, *Branta*, 207.
leucopterus, *Chlidonias*, 47.
leucotis, *Otus*, 158.
leucurus, *Threnetes*, 290.
l'herminieri, *Puffinus*, 232.
libonyanus, *Turdus*, 156.
Limosa lapponica, 169, 261.
 — *limosa*, 47, 169.
litsipsirupa, *Turdus*, 156.
livia, *Columba*, 56.
lobatus, *Phalaropus*, 47.
Locustella certhiola, 434.
 — *naevia*, 434.

Lonchura cucullata, 159.
 — *striata*, 70.
longirostris, *Heliomaster*, 288.
longuemareus, *Phaethornis*, 279, 296.
Lophaetus occipitalis, 158.
Loxia, 446.
 — *curvirostris*, 555.
luciani, *Eriocnemis*, 352.
ludlowii, *Fulvetta*, 234, 592.
lugens, *Streptopelia*, 158.
Luscinia megarhynchos, 473.
Luscinola, 346.
lutea, *Motacilla*, 48.
Lybius leucomelas, 156.
Lymnocyrtus minimus, 261.
Lyurus mlokosiewiczii, 261.
 — *tetrix*, 278.

maccormicki, *Catharacta s.*, 149.
 —, *Stercorarius*, 233.
macrourus, *Circus*, 48, 129, 133, 421.
maculipennis, *Phylloscopus*, 433.
madagascariensis, *Foudia*, 544, 551.
magnirostris, *Phylloscopus*, 433.
mahali, *Plocepasser*, 156.
major, *Parus*, 68, 220, 224, 364, 365, 367, 555.
 —, *Tinamus*, 496.
Malaconotus zeylonus, 156.
Malimbus rubriceps, 156.
Malurus cyaneus, 86.
Manacus manacus, 279, 297, 365.
maritima, *Calidris*, 474.
markli, *Zonotrichia c.*, 82.
mauri, *Calidris*, 556.
maximus, *Aepyornis*, 496.
 —, *Dinornis*, 496.
Megadyptes antipodes, 14.
megarhynchos, *Luscinia*, 473.
Melaornis silens, 159.
Melanitta fusca, 149, 152, 207.
 — *nigra*, 191, 202, 207, 522, 541.
melanocephala, *Ardea*, 158.
 —, *Emberiza*, 475.
 —, *Sylvia*, 437.
 —, *Threskiornis*, 265.
melanocephalus, *Threskiornis a.*, 276.
Melanocorypha calandra, 472.
melanoleucus, *Accipiter*, 156.
 —, *Ardea*, 158.
melanophus, *Parus*, 91.
melanops, *Theristicus*, 265, 276.
melanorhampus, *Corcorax*, 86.
melanorhampus, *Sylvia*, 438.
melanotos, *Calidris*, 552.
melanotus, *Porphyrio p.* 557.
melanurus, *Passer*, 156.

- meleagris, Numida, 162.
 Melierax gabar, 156.
 — metabates, 158.
 melodia, Melospiza, 545.
 Melospiza melodia, 545, 592.
 merganser, Mergus, 207.
 Mergus merganser, 207.
 — serrator, 207.
 Merops apiaster, 48, 471.
 — superciliosus, 474.
 merula, Turdus, 90, 469, 475.
 Mesopicos griseocephalus, 160.
 metabates, Melierax, 158.
 mexicanus, Carpodacus, 298, 465.
 migrans, Milvus, 129, 158, 273, 421.
 Milvus migrans, 129, 158, 273, 421.
 — milvus, 421.
 minimus, Lymnocyptes, 261.
 minor, Fregata, 544.
 —, Lanius, 48.
 minuta, Calidris, 47, 169, 261, 471.
 mlkosiewiczzi, Lyrurus, 261.
 modesta, Zosterops, 543.
 molitor, Batis, 159.
 mollissima, Somateria, 135, 151, 152, 194, 206, 451, 465, 592.
 molucca, Threskiornis, 265.
 monachus, Neophron, 158, 165.
 monedula, Corvus, 89, 465.
 mongolus, Charadrius, 47.
 monogrammicus, Kaupifalco, 158.
 Monticola saxatilis, 48, 473.
 — solitarius, 475.
 morio, Onychognathus, 162, 592.
 mortierii, Tribonyx, 87.
 Motacilla alba, 162, 472.
 — cinerea, 472.
 — feldegg, 475.
 — flava, 47, 48, 50, 162, 472, 475.
 — flavissima, 475.
 Motacilla lutea, 48.
 Mullerornis, 496, 520.
 — betsilei, 518.
 Muscicapa adusta, 159, 164.
 — latirostris, 579.
 — striata, 48, 473.
 mystacea, Sylvia, 438.

 naevia, Locustella, 434.
 namaquus, Thripas, 161.
 nana, Sylvia, 438, 475, 578.
 narina, Apaloderma, 160.
 nativitatis, Puffinus, 232.
 naumanni, Falco, 48, 127, 162, 422, 470.
 nebularia, Tringa, 169, 471.
 Nectarinia amethystina, 156.
 — chalybeus, 162, 339.
 — coccinigaster, 314.
 — dussumieri, 544.

 Nectarinia famosa, 159.
 — kilimensis, 329.
 — senegalensis, 159.
 — tacazze, 159.
 — venusta, 159.
 neglectus, Acrocephalus g., 343.
 —, Phylloscopus, 436.
 Neophron monachus, 158, 165.
 — percnopterus, 94, 273, 421, 469, 492.
 newtoni, Falco, 550.
 nigra, Ciconia, 469.
 —, Melanitta, 191, 202, 207, 522, 541.
 nigricans, Pycnonotus, 232.
 nipalensis, Aquila, 130.
 nisoria, Sylvia, 48, 438.
 nisus, Accipiter, 129, 421, 470.
 nitidus, Phylloscopus, 433.
 nordmanni, Glareola, 261, 471.
 Nothoprocta cinerascens, 519.
 novaehollandiae, Dromiceius, 496.
 novaezealandiae, Dinornis, 496.
 nudipes, Otus, 369.
 Numenius arquata, 169, 207.
 — phaeopus, 169.
 Numida meleagris, 162.
 Nycticorax nycticorax, 470.
 nyong, Acrocephalus b., 341.

 occidentalis, Pelecanus, 491.
 occipitalis, Lophaelus, 158.
 —, Phylloscopus, 91, 433.
 Oceanodroma castro, 232.
 — tethys, 232.
 ochropus, Tringa, 471.
 oedicnemus, Burhinus, 471.
 Oenanthe deserti, 473.
 — hispanica, 475.
 — isabellina, 48, 475.
 — oenanthe, 48, 473.
 — pleschanka, 48.
 oenas, Columba, 73, 541.
 oleaginea, Pipromorpha, 292.
 olivaceus, Turdus, 156.
 olivetorum, Hippolais, 48, 475.
 onocrotalus, Pelecanus, 28, 42, 264, 276, 477, 492.
 Onychognathus morio, 162, 592.
 Opisthodactylus, 518.
 — patagonicus, 496.
 orientalis, Acrocephalus, 541.
 —, Pterocles, 261.
 Oriolus larvatus, 156.
 — oriolus, 473.
 orix, Euplectes, 159.
 ostralegus, Haematopus, 207, 211, 214.
 Otus albugularis, 371.
 — asio, 371.
 — barbarus, 371.
 — choliba, 371.

 Otus cooperi, 371.
 — flammeolus, 371.
 — guatemalae, 369, 372.
 — insularis, 543.
 — kennicottii, 371.
 — leucotis, 158.
 — nudipes, 369.
 — roraimae, 372.
 — scops, 369.
 — seductus, 371.
 — trichopsis, 371.
 — vinaceus, 369.
 — watsonii, 371.
 ovampensis, Accipiter, 158.

 Pachyornis elephantopus, 496.
 pachyrhynchus, Eudypetes, 1.
 palliatus, Junco p., 360, 364.
 pallida, Hippolais, 47, 48, 342, 345, 475.
 —, Zosterops, 156.
 palumbus, Columba, 52, 72, 73, 195, 522, (Plate 12 & 13), 541.
 palustris, Acrocephalus, 342, 475.
 Pandion haliaetus, 48, 129, 421.
 Parula americana, 444.
 Parus albiventris, 159.
 — ater, 444.
 — caeruleus, 367.
 — major, 68, 220, 224, 364, 365, 367, 555.
 — melanolophus, 91.
 parva, Ficedula, 473, 475.
 Passer domesticus, 91, 298, 312.
 — griseus, 156.
 — hispaniolensis, 159, 473.
 — melanurus, 156.
 passerina, Spizella, 314.
 Patagona gigas, 347, 350, (Plate 11) 358.
 patagonicus, Opisthodactylus, 496.
 pectoralis, Caprimulgus, 158.
 Pelecanus crispus, 42.
 — erythrorhynchus, 480, 591.
 — occidentalis, 491.
 — onocrotalus, 28, 42, 264, 276, 477, 492.
 — rufescens, 28, 42, 477, 492.
 penelope, Anas, 207.
 pennata, Pterocnemis, 496.
 pennatus, Hieraaetus, 48, 421, 470.
 percnopterus, Neophron, 94, 273, 421, 469, 492.
 Perdix perdix, 148, 555.
 peregrinus, Falco, 127, 422, 471.
 Pernis apivorus, 128, 419, 522, 541.
 peruviana, Patagona g., 350, 358.
 Petrochelidon pyrrhonota, 90, 592.

- Petronia petronia*, 475.
phaeonotus, *Junco*, 360, 364.
phacopus, *Numenius*, 169.
Phaethornis guy, 278 (Plate 9).
—— *longuemareus*, 279, 296.
—— *ruber*, 290.
—— *supercilius*, 278.
Phalacrocorax aristotelis, 233.
—— *capensis*, 274.
—— *carbo*, 158, 264.
Phalaropus fulicarius, 47.
—— *lobatus*, 47.
—— *tricolor*, 579.
Phasianus colchicus, 555.
Philomachus pugnax, 169, 278, 471.
phoeniceus, *Agelaius*, 360.
Phoenicopterus ruber, 47.
Phoeniculus purpureus, 156.
phoenicoides, *Lanius* c., 48.
Phoenicurus phoenicurus, 48, 162, 473.
Phylloscopus affinis, 433, 440.
—— *armandii*, 433.
—— *bonelli*, 433, 473.
—— *borealis*, 433.
—— *collybita*, 162, 433, 439, 443, 449, 475, 545, 548.
—— *coronatus*, 433.
—— *davisoni*, 433.
—— *fuligiventer*, 433.
—— *fuscatus*, 433.
—— *griseolus*, 433.
—— *inornatus*, 433, 449.
—— *maculipennis*, 433.
—— *magnirostris*, 433.
—— *neglectus*, 436.
—— *nitidus*, 433.
—— *occipitalis*, 91, 433.
—— *plumbeitarsus*, 433.
—— *proregulus*, 91, 433.
—— *pulcher*, 433.
—— *reguloides*, 433, 449.
—— *schwarzii*, 433.
—— *sibilatrix*, 433, 473.
—— *sindianus*, 433.
—— *subviridis*, 433.
—— *tenellipes*, 433.
—— *trochiloides*, 433, 444, 449.
—— *trochilus*, 47, 48, 433, 449, 473, 548.
—— *tytleri*, 433.
Pica pica, 55.
picturata, *Streptopelia*, 543.
Pinicola enucleator, 446.
Pipra erythrocephala, 289, 297.
Pipromorpha oleaginea, 292.
Platalea alba, 164, 266.
platyrhynchos, *Anas*, 143, 207.
Plegadis autumnalis, 276.
—— *falcinellus*, 47, 271, 470.
pleschanka, *Oenanthe*, 48.
Plocepasser mahali, 156.
Ploceus baglafecht, 159.
—— *capensis*, 156.
—— *cucullatus*, 159.
—— *galbula*, 159.
—— *heuglini*, 215.
—— *intermedius*, 159.
Ploceus spekei, 159.
—— *velatus*, 156, 159.
plumbeitarsus, *Phylloscopus*, 433.
Pluvialis squatarola, 169.
Pluvianus aegyptius, 469.
Polemaetus bellicosus, 156, 158.
poliogastra, *Zosterops*, 159.
Polyboroides radiatus, 158.
Polysticta stelleri, 261.
pomarina, *Aquila*, 224, 228, 421.
pomarinus, *Stercorarius*, 261, 556.
Porphyrio porphyrio, 557.
Porphyryla alleni, 578.
Porzana carolina, 578.
pratincola, *Glareola*, 261, 471.
Prinia flavicans, 156.
Procnias averano, 289.
Promerops cafer, 162.
—— *gurneyi*, 162.
proregulus, *Phylloscopus*, 91, 433.
Pterocles orientalis, 261.
Pterocnemis pennata, 496.
Pterodroma arminjoniana, 232.
—— *solandri*, 232.
Ptyonoprogne rufigula, 346.
pucherrima, *Alectroenas*, 543.
Puffinus assimilis, 232.
—— *auricularis*, 232.
—— *baroli*, 232.
—— *boydi*, 232.
—— *carneipes*, 232.
—— *l'herminieri*, 232.
—— *nativitatis*, 232.
—— *puffinus*, 52, 73, 232.
—— *yelkouan*, 232.
pugnax, *Philomachus*, 169, 278, 471.
pulcher, *Phylloscopus*, 433.
purpurea, *Ardea*, 469.
purpureus, *Phoeniculus*, 156.
pusilla, *Calidris*, 552.
Pycnonotus barbatus, 232.
—— *nigricans*, 232.
pygargus, *Circus*, 129, 421, 474.
Pyrrhonorax pyrrhonorax, 346.
pyrrhonota, *Petrochelidon*, 90, 592.
Pyrrhula pyrrhula, 65, 73, 214.

Quelea quelea, 93, 312.
querquedula, *Anas*, 47.

radiatus, *Polyboroides*, 158.
ralloides, *Ardeola*, 470.
rapax, *Aquila*, 158, 273.
reguloides, *Phylloscopus*, 433, 449.
Regulus regulus, 434, 444.
—— *satrapa*, 444.
reichenowi, *Cryptospiza*, 163.

Rhea, 521.
—— *americana*, 496.
rhipidurus, *Corvus*, 273.
Rhodopechys githaginea, 469, 475.
Richmondia cardinalis, 545.
ridibundus, *Larus*, 47, 207.
Riparia riparia, 48, 472.
risoria, *Streptopelia*, 69.
Rissa tridactyla, 68, 72, 151.
robustus, *Eudypetes*, 1.
roraimae, *Otus*, 372.
roseus, *Pelecanus* o., 28, 42, 276, 492.
—— *Sturnus*, 475.
rossii, *Chen*, 149.
rostrata, *Streptopelia*, p., 544.
rubecula, *Erithacus*, 469, 475.
ruber, *Eudocimus*, 269.
—— *Phoenicopterus*, 47.
—— *Phaethornis*, 290.
rubetra, *Saxicola*, 48, 473.
rubriceps, *Malimbus*, 156.
rupepelli, *Sylvia*, 438, 473.
rufa, *Anhinga*, 158.
rufescens, *Acrocephalus*, 343.
—— *Calandrella*, 475.
—— *Pelecanus*, 28, 42, 477, 492.
rufigula, *Ptyonoprogne*, 346.
rufinus, *Buteo*, 130.
rufiventris, *Accipiter*, 156, 158.
rufofuscus, *Buteo*, 158.
rukeri, *Threnetes*, 294.
rupestris, *Hirundo*, 472.
rustica, *Hirundo*, 47, 48, 90, 346, 472.
Rynchops flavirostris, 50.

sakhalina, *Calidris* a. 556.
sandvicensis, *Sterna*, 224.
—— *Branta*, 223.
sarda, *Sylvia*, 438, 475.
satrapa, *Regulus*, 444.
saundersi, *Sterna*, 47.
saxatilis, *Monticola*, 48, 473.
Saxicola, 440.
—— *rubetra*, 48, 473.
—— *torquata*, 346.
schinzii, *Calidris* a. 556.
schlegeli, *Endypetes* c., 16, 23.
schoanus, *Uraeginthus* b., 215.
schoeniclus, *Emberiza*, 91, 592.
schoenobaenus, *Acrocephalus* 48, 434, 475.
schwarzii, *Phylloscopus*, 433.
scirpaceus, *Acrocephalus*, 48, 330, 340, 434, 475.
sclateri, *Eudypetes*, 2, 23.
scops, *Otus*, 369.
Scopus umbretta, 156, 158.
scotops, *Serinus*, 160.
sechellensis, *Bebrornis*, 544.
seductus, *Otus*, 371.
Seiurus aurocapillus, 578.
senator, *Lanius*, 472.
senegala, *Tchagra*, 156.

- senegalensis, *Chalcomitra*, 215.
 —, *Nectarinia*, 159.
 —, *Streptopelia*, 156, 471.
 sephanoides, *Trochilus*, 358.
Serinus canicollis, 159.
 — *citrinella*, 446.
 — *gularis*, 159.
 — *scotops*, 160.
 — *serinus*, 446.
 — *sulphuratus*, 159.
serrator, *Mergus*, 207.
seychellarum, *Foudia*, 544.
sganzini, *Alectroenas*, 544.
sibilatrix, *Phylloscopus*, 433, 473.
siemensii, *Archaeornis*, 519.
silens, *Melaenornis*, 159.
simillimus, *Junco* h., 360.
sindianus, *Phylloscopus*, 433.
Sitta europaea, 366.
skua, *Catharacta*, 149.
 —, *Stercorarius*, 21, 233.
solandri, *Pterodroma*, 232.
solitarius, *Monticola*, 475.
Somateria mollissima, 135, 151, 152, 194, 206, 451, 465, 592.
soui, *Crypturellus*, 496.
sparverius, *Falco*, 420.
spekei, *Ploceus*, 159.
Spermestes cucullatus, 215.
spilogaster, *Hieraeetus* f., 158, 225, (Plate 4).
spinicollis, *Carphibis*, 265.
spinus, *Carduelis*, 162, 446.
Spizella passerina, 314.
squameiceps, *Turdoides*, 84.
squatarola, *Charadrius*, 261.
 —, *Pluvialis*, 169.
stagnatilis, *Tringa*, 47, 169, 261, 474.
stellaris, *Botaurus*, 469.
stelleri, *Polysticta*, 261.
stentoreus, *Acrocephalus*, 437.
Stephanoaetus coronatus, 158.
Sterna, 207.
 — *albifrons*, 47.
 — *anaethetus*, 233, 592.
 — *dougallii*, 261.
 — *hirundo*, 474.
 — *sandvicensis*, 224.
 — *saundersi*, 47.
Stercorarius maccormicki, 233.
 — *pomarinus*, 261, 556.
 — *skua*, 21, 233.
Streptopelia capicola, 156, 158.
 — *lugens*, 158.
 — *picturata*, 543.
 — *risoria*, 69.
 — *senegalensis*, 156, 471.
 — *turtur*, 73, 471.
striata, *Geopelia*, 543.
 —, *Lonchura*, 70.
 —, *Muscicapa*, 48, 473.
striatus, *Butorides*, 544.
 —, *Turdoides*, 84.
Strix aluco, 128.
Stromeria fajumensis, 496.
Struthio, 521.
 — *camelus*, 496.
Sturnus roseus, 475.
 — *vulgaris*, 87, 90, 162.
suahelicus, *Acrocephalus* b., 341.
subaffinis, *Phylloscopus* a., 440, 449.
subbuteo, *Falco*, 48, 130, 158, 422.
subviridis, *Phylloscopus*, 433.
Sula abbotti, 368.
 — *dactylatra*, 368.
 — *sula*, 368, 489, 544.
sulphuratus, *Serinus*, 159.
superciliosus, *Merops*, 474.
 —, *Phaethornis*, 278.
svecica, *Cyanosylvia*, 475.
Sylvia atricapilla, 162, 437, 472.
 — *borin*, 48, 438, 472.
 — *cantillans*, 438, 473.
 — *communis*, 48, 434, 473.
 — *conspicillata*, 438, 473, 475.
 — *curruca*, 434, 473.
 — *deserticola*, 438.
 — *hortensis*, 445, 475.
 — *leucomelaena*, 438.
 — *melanocephala*, 437.
 — *melanothorax*, 438.
 — *mystacea*, 438.
 — *nana*, 438, 475, 578.
 — *nisoria*, 48, 438.
 — *rupeelli*, 438, 473.
 — *sarda*, 438, 475.
 — *undata*, 438.
tacazze, *Nectarinia*, 159.
tachiro, *Accipiter*, 156.
Tadorna tadorna, 143, 207.
Tachagra australis, 159.
 — *senegala*, 156.
tenellipes, *Phylloscopus*, 433.
tenuirostris, *Anous*, 72, 214, 543.
terek, *Tringa*, 47.
Terpsiphone viridis, 159.
tethys, *Oceanodroma*, 232.
tetrix, *Lyrurus*, 278.
theklae, *Galerida*, 346.
Theristicus melanops, 265, 276.
Threnetes leucurus, 290.
 — *rukeri*, 294.
Threskiornis aethiopica, 263, (Plates 7 & 8), 276.
 — *melanocephala*, 265.
 — *molucca*, 265.
Thripis namaquus, 161.
thunbergi, *Motacilla* f., 48.
Tinamus major, 496.
tinnunculus, *Falco*, 127, 156, 422, 470.
Tockus alboterminatus, 159, 160.
torquilla, *Jynx*, 471.
torquata, *Saxicola*, 346.
totanus, *Tringa*, 169, 471.
Trachyphorus vaillantii, 156.
Tribonyx mortierii, 87.
trichopsis, *Otus*, 371.
tricolor, *Phalaropus*, 579.
tridactyla, *Rissa*, 68, 72, 151.
Tringa erythropus, 169, 171, 474.
 — *glareola*, 47, 169, 474.
 — *hypoleucos*, 169.
 — *nebularia*, 169, 471.
 — *ochropus*, 471.
 — *stagnatilis*, 47, 169, 261, 474.
 — *terek*, 47.
 — *totanus*, 169, 471.
tristis, *Acridotheres*, 544.
 —, *Phylloscopus* c., 443, 449.
trivialis, *Anthus*, 48, 162, 475.
trochiloides, *Phylloscopus*, 443, 449.
Trochilus gigas, 358.
 — *sephanoides*, 358.
trochilus, *Phylloscopus*, 47, 48, 433, 449, 473, 548.
Trochocercus albonotatus, 160.
Troglodytes aedon, 149.
Turdoides squameiceps, 84.
 — *striatus*, 84.
Turdus abyssinicus, 159.
 — *albicollis*, 296.
 — *ericetorum*, 89.
 — *libonyanus*, 156.
 — *litsipsirup*, 156.
 — *merula*, 90, 469, 475.
 — *olivaceus*, 156.
 — *viscivorus*, 89.
turtur, *Streptopelia*, 73, 471.
tytleri, *Phylloscopus*, 433.
Tyto alba, 367.
ultramarina, *Aphelocoma*, 87.
umbretta, *Scopus*, 156, 158.
unappendiculatus, *Casuarus*, 496.
undata, *Sylvia*, 438.
Upupa epops, 48, 471.
Uraeginthus bengalus, 215.
urbica, *Delichon*, 472.
Uria aalge, 233.
vaillantii, *Trachyphonus*, 156.
velatus, *Ploceus*, 156, 159.
venusta, *Nectarinia*, 159.
verreauxi, *Aquila*, 225.
vespertinus, *Falco*, 130, 134, 162, 422, 431, 592.
vinaceus, *Otus*, 369.
virescens, *Butorides*, 578.
virginianus, *Bubo*, 579.
 —, *Colinus*, 148, 579.
viridanus, *Phylloscopus* t., 444, 449.
viridis, *Terpsiphone*, 159.
viscivorus, *Turdus*, 89.

v-nigra, Somateria, m. 465.
 vocifer, Haliaeetus, 156, 158,
 273, 492.
 vulgaris, Sturnus, 87, 90, 162.

wahlbergi, Aquila, 156.
 watsonii, Otus, 371.

Xanthocephalus xanthocephalus, 579.

yelkouan, Puffinus, 232.

Zelornis exilis, 496.

zeylonus, Malaconotus, 156.
 Zonotrichia capensis, 74, 82,
 314, 329.
 — leucophrys, 65, 298, 312,
 314, 545.
 Zosterops abyssinica, 159.
 — modesta, 543.
 — pallida, 156.
 — polioastra, 159.

H. BENCH USHER

CORRIGENDA

page 87, line 27: *Czotophaga dni* to read *Crotophaga ani*.
 page 90, line 34: *Pterochelidon* to read *Petrochelidon*.
 page 91, line 19: *E. schoeniculus* to read *E. schoenichus*.
 page 130, line 35: *Faco* to read *Falco*.
 page 162, line 9: *Onycognathus* to read *Onychognathus*.
 page 169, Table 3: *Aremia* to read *Arenaria*.
 page 194, line 5: *Somateria molissima* to read *Somateria mollissima*.
 page 212, Figure 1: Right-hand diagram to be marked (a), left-hand (b).
 page 214, line 45: STRESEMANN, E. 1966 to read STRESEMANN, E. & STRESEMANN, V. 1966.
 page 233, line 1: *Sterna anaetheta* to read *Sterna anaethetus*.
 page 234, line 5: *Fulvella ludlowi* to read *Fulvetta ludlowi*.
 page 473, line 5: *Sylvia ruepelli* to read *Sylvia rueppelli*.
 page 473, line 9: *Phylloscopus trochilis* to read *Phylloscopus trochilus*.
 page 480, line 32: *Pelecanus erythrohynchos* to read *Pelecanus erythrorhynchos*.
 page 543, line 5 & page 544, References: Cawkwell to read Cawkell.
 page 545, line 21: *Melopsiza* to read *Melospiza*.